

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 1 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 金宇科技股份有限公司 (VITEK DISPLAY CO., LTD.)
樣品名稱(Sample Description) : TFT MODULES
樣品型號(Style/Item No.) : VT SERIES
收件日期(Sample Receiving Date) : 2015/07/09
測試期間(Testing Period) : 2015/07/09 TO 2015/07/17

=====
測試方法(Test Method) : 參照SGS內部方法RSTS-EE-SVHC-007. 由感應耦合電漿原子發射光譜儀、紫外光可見光譜儀、氣相層析/質譜儀、液相層析質譜儀、氣相層析儀/火焰光度偵測器、液相層析/質譜儀/二極體陣列偵測器進行分析。(SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/MS/DAD.)

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).


Edison Chang / Sr. Supervisor
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory – Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 2 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



測試樣品(Test Sample):

測試部位(PART NAME) No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results) (單位Unit: %)

物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
蒽 / Anthracene (CAS No. : 120-12-7)	0.05	n. d.	PBT
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane (CAS No. : 101-77-9)	0.05	n. d.	CC 1B
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No. : 84-74-2)	0.05	n. d.	TRC 1B
鄰苯二甲酸丁苄基酯 / BBP (Butyl Benzyl phthalate) (CAS No. : 85-68-7)	0.05	n. d.	TRC 1B
鄰苯二甲酸二(2-乙基己基)酯 / DEHP (Bis (2-ethyl(hexyl) phthalate)) (CAS No. : 117-81-7)	0.05	n. d.	EQC
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene) (CAS No. : 81-15-2)	0.05	n. d.	vPvB
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No. : 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	0.05	n. d.	PBT
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No. : 85535-84-8)	0.05	n. d.	PBT
氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO)***(CAS No. : 56-35-9)	-	n. d.	PBT
二氯化鈷 / Cobalt dichloride (CAS No. : 7646-79-9)	0.005	n. d.	CC 1B; TRC 1B
五氧化二砷 / Diarsenic pentaoxide*** (CAS No. : 1303-28-2)	-	n. d.	CC 1A
三氧化二砷 / Diarsenic trioxide*** (CAS No. : 1327-53-3)	-	n. d.	CC 1A
三乙基砷酸酯 / Triethyl arsenate*** (CAS No. : 15606-95-8)	-	n. d.	CC 1A
砷酸氫鉛 / Lead hydrogen arsenate*** (CAS No. : 7784-40-9) (※1)	-	n. d.	CC 1A; TRC 1A
鉻酸鈉 / Sodium chromate*** (CAS No. : 7775-11-3)	-	n. d.	CC 1B; MC 1B; TRC 1B
重鉻酸銨 / Ammonium dichromate*** (CAS No. : 7789-09-5)	-	n. d.	CC 1B; MC 1B; TRC 1B
重鉻酸鉀 / Potassium dichromate*** (CAS No. : 7778-50-9)	-	n. d.	CC 1B; MC 1B; TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 3 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
鉻酸鉀 / Potassium chromate*** (CAS No.: 7789-00-6)	-	n. d.	CC 1B; MC 1B
重鉻酸鈉 / Sodium dichromate*** (CAS No.: 10588-01-9, 7789-12-0(*))	-	n. d.	CC 1B; MC 1B; TRC 1B
三氧化鉻 / Chromium trioxide *** (CAS No.: 1333-82-0)	-	n. d.	CC 1B; MC 1B
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid*** (CAS No.: 7738-94-5)	-	n. d.	CC 1B
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated from chromium trioxide and their oligomers: Dichromic acid*** (CAS No.: 13530-68-2)	-	n. d.	CC 1B
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid (*1)	-	n. d.	CC 1B
鉻酸鋇 / Strontium chromate*** (CAS No.: 7789-06-2)	-	n. d.	CC 1B
蔥油 / Anthracene oil (CAS No.: 90640-80-5) (**)	0.05	n. d.	PBT; vPvB; CC 1B
蔥油, 蔥糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights (CAS No.: 91995-17-4) (**)	0.05	n. d.	PBT; vPvB; CC 1B; MC 1B
蔥油, 蔥糊, 蔥餾分 / Anthracene oil, anthracene paste, anthracene fraction (CAS No.: 91995-15-2) (**)	0.05	n. d.	PBT; vPvB; CC 1B; MC 1B
蔥油, 含蔥量少 / Anthracene oil, anthracene-low (CAS No.: 90640-82-7) (**)	0.05	n. d.	PBT; vPvB; CC 1B; MC 1B
蔥油, 蔥糊 / Anthracene oil, anthracene paste (CAS No.: 90640-81-6) (**)	0.05	n. d.	PBT; vPvB; CC 1B; MC 1B
煤瀝青, 高溫 / Pitch, coal tar, high-temp. (CAS No.: 65996-93-2) (**)	0.05	n. d.	PBT; vPvB; CC 1B
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	0.05	n. d.	TRC 1B
2,4-二硝基甲苯 / 2,4-Dinitrotoluene (CAS No.: 121-14-2)	0.05	n. d.	CC 1B
磷酸三(2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	0.05	n. d.	TRC 1B
鉻酸鉛 / Lead chromate*** (CAS No.: 7758-97-6) (※5)	-	n. d.	CC 1B; TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 4 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
鉬鉻紅; 顏色索引: 顏料紅104 / Lead chromate molybdate sulphate red*** (C.I. Pigment Red 104) (CAS No.: 12656-85-8) (※5)	-	n. d.	CC 1B; TRC 1A
鉻酸鉛; 顏色索引: 顏料黃34 / Lead sulfochromate yellow*** (C.I. Pigment Yellow 34) (CAS No.: 1344-37-2) (※5)	-	n. d.	CC 1B; TRC 1A
丙烯醯胺 / Acrylamide (CAS No.: 79-06-1)	0.05	n. d.	CC 1B; MC 1B
硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1)	-	0.0448	TRC 1B
無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	-	0.0365	TRC 1B
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (*2)	-	-	TRC 1B
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	0.05	n. d.	CC 1B
硫酸鈷(二價) / Cobalt(II) sulphate*** (CAS No.: 10124-43-3)	-	0.0352	CC 1B; TRC 1B
硝酸鈷(二價) / Cobalt(II) dinitrate*** (CAS No.: 10141-05-6)	-	0.0416	CC 1B; TRC 1B
碳酸鈷(二價) / Cobalt(II) carbonate*** (CAS No.: 513-79-1)	-	0.0270	CC 1B; TRC 1B
醋酸鈷(二價) / Cobalt(II) diacetate*** (CAS No.: 71-48-7)	-	0.0403	CC 1B; TRC 1B
乙二醇甲醚 / 2-Methoxyethanol (CAS No.: 109-86-4)	0.05	n. d.	TRC 1B
乙二醇乙醚 / 2-Ethoxyethanol (CAS No.: 110-80-5)	0.05	n. d.	TRC 1B
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate (CAS No.: 111-15-9)	0.05	n. d.	TRC 1B
鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 / 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4)	0.05	n. d.	TRC 1B
聯氨 / Hydrazine (CAS No.: 7803-57-8; 302-01-2)	0.05	n. d.	CC 1B
N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone (CAS No.: 872-50-4)	0.05	n. d.	TRC 1B
1,2,3-三氯丙烷 / 1,2,3-trichloropropane (CAS No.: 96-18-4)	0.05	n. d.	CC 1B; TRC 1B
鄰苯二甲酸二(C6-8支鏈與直鏈)烷基酯, 富C7 / 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	0.05	n. d.	TRC 1B
砷酸 / Arsenic acid*** (CAS No.: 7778-39-4)	-	n. d.	CC 1A
砷酸鈣 / Calcium arsenate*** (CAS No.: 7778-44-1)	-	n. d.	CC 1A
砷酸鉛 / Trilead diarsenate*** (CAS No.: 3687-31-8) (※1)	-	n. d.	CC 1A; TRC 1A
疊氮化鉛 / Lead diazide, Lead azide*** (CAS No.: 13424-46-9)	-	n. d.	TRC 1A
中性斯蒂酚酸鉛 / Lead styphnate*** (CAS No.: 15245-44-0)	-	n. d.	TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 5 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
苦味酸鉛 / Lead dipicrate*** (CAS No. : 6477-64-1)	-	n. d.	TRC 1A
鉻酸鉻 / Dichromium tris (chromate)*** (CAS No. : 24613-89-6)	-	n. d.	CC 1B
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxidizincatedi-chromate*** (CAS No. : 11103-86-9)	-	n. d.	CC 1A
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide*** (CAS No. : 49663-84-5)	-	n. d.	CC 1A
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA) (CAS No. : 25214-70-4)	0.05	n. d.	CC 1B
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate (CAS No. : 117-82-8)	0.05	n. d.	TRC 1B
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine (CAS No. : 90-04-0)	0.05	n. d.	CC 1B
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No. : 140-66-9)	0.05	n. d.	EQC
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No. : 107-06-2)	0.05	n. d.	CC 1B
雙(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No. : 111-96-6)	0.05	n. d.	TRC 1B
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC) (CAS No. : 127-19-5)	0.05	n. d.	TRC 1B
4,4'-亞甲雙(2-氯苯胺) / 2,2'-dichloro-4,4'-methylenedianiline (MOCA) (CAS No. : 101-14-4)	0.05	n. d.	CC 1B
酞酐 / Phenolphthalein (CAS No. : 77-09-8)	0.05	n. d.	CC 1B
矽酸鋁, 耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】	0.05	n. d.	CC 1B
鋯矽酸鋁, 耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	0.05	n. d.	CC 1B
三甘醇二甲醚 / 1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme) (CAS No. : 112-49-2)	0.05	n. d.	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 6 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) (CAS No.: 110-71-4)	0.05	n. d.	TRC 1B
甲醯胺 / Formamide (CAS No.: 75-12-7)	0.05	n. d.	TRC 1B
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)*** (CAS No.: 17570-76-2)	-	n. d.	TRC 1B
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6 (1H,3H,5H)-trione) (CAS No.: 2451-62-9)	0.05	n. d.	MC 1B
異氰尿酸β-三縮水甘油酯 / β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6- (1H,3H,5H)-trione) (CAS No.: 59653-74-6) (※3)	0.05	n. d.	MC 1B
4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis(dimethylamino) benzophenone (Michler's ketone) (CAS No.: 90-94-8)	0.05	n. d.	CC 1B
4,4'-(對二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) (CAS No.: 101-61-1)	0.05	n. d.	CC 1B
鹼性紫 3 [內含≥ 0.1% 的米氏酮或米氏鹼] / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C. I. Basic Violet 3) (CAS No.: 548-62-9) [with ≥ 0.1% of Michler's ketone or Michler's base]	0.05	n. d.	CC 1B
鹼性藍 26 [內含≥ 0.1% 的米氏酮或米氏鹼] / [4-[[4-anilino-1-naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C. I. Basic Blue 26) (CAS No.: 2580-56-5) [with ≥ 0.1% of Michler's ketone or Michler's base]	0.05	n. d.	CC 1B
溶劑藍 4 [內含≥ 0.1% 的米氏酮或米氏鹼] / α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C. I. Solvent Blue 4) (CAS No.: 6786-83-0) [with ≥ 0.1% of Michler's ketone or Michler's base]	0.05	n. d.	CC 1B
三氧化二硼 / Diboron trioxide*** (CAS No.: 1303-86-2)	-	0.0252	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 7 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
α , α -二[(二甲氨基)苯基]-4-甲氨基苯甲醇 [內含 $\geq 0.1\%$ 的米氏酮或米氏鹼] / 4,4'-bis (dimethylamino)-4'-(methylamino) trityl alcohol (CAS No.: 561-41-1) [with $\geq 0.1\%$ of Michler's ketone or Michler's base]	0.05	n. d.	CC 1B
十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE) (CAS No.: 1163-19-5)	0.05	n. d.	PBT
全氟十三酸 / Pentacosafuorotridecanoic acid (CAS No.: 72629-94-8)	0.05	n. d.	PBT
全氟十二酸 / Tricosafuorododecanoic acid (CAS No.: 307-55-1)	0.05	n. d.	PBT
全氟十一酸 / Henicosafuoroundecanoic acid (CAS No.: 2058-94-8)	0.05	n. d.	PBT
全氟十四酸 / Heptacosafuorotetradecanoic acid (CAS No.: 376-06-7)	0.05	n. d.	PBT
4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基- 以及所有的被定義的物質, 未知成分或可變成分的物質, 聚合物和同系物 / 4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated- covering well-defined substances and UVCB substances, polymers and homologues	0.05	n. d.	EQC
分支或線性的壬基酚, 包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	0.05	n. d.	EQC
偶氮[二]甲醯胺 / Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (CAS No.: 123-77-3)	0.05	n. d.	EQC
六氫苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane-1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	0.05	n. d.	EQC
甲基六氫苯酐 / Hexahydromethylphthalic anhydride (CAS No.: 25550-51-0) 4-甲基六氫苯酐 / Hexahydro-4-methylphthalic anhydride (CAS No.: 19438-60-9) 1-甲基六氫苯酐 / Hexahydro-1-methylphthalic anhydride (CAS No.: 48122-14-1) 3-甲基六氫苯酐 / Hexahydro-3-methylphthalic anhydride (CAS No.: 57110-29-9)	0.05	n. d.	EQC

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 8 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
甲氧基乙酸 / Methoxy acetic acid (CAS No. : 625-45-6)	0.05	n. d.	TRC 1B
支鏈和直鏈1,2-苯二羧二戊酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS No. : 84777-06-0)	0.05	n. d.	TRC 1B
鄰苯二甲酸二異戊酯 / Diisopentylphthalate (CAS No. : 605-50-5)	0.05	n. d.	TRC 1B
鄰苯二甲酸正戊異戊酯 / N-pentyl-isopentylphthalate (CAS No. : 776297-69-9)	0.05	n. d.	TRC 1B
乙二醇二乙醚 / 1,2-Diethoxyethane (CAS No. : 629-14-1)	0.05	n. d.	TRC 1B
N,N-二甲基甲醯胺 / N,N-dimethylformamide; dimethyl formamide (CAS No. : 68-12-2)	0.05	n. d.	TRC 1B
二氯二丁基錫 / Dibutyltin dichloride (DBTC)*** (CAS No. : 683-18-1)	-	n. d.	TRC 1B
城式醋酸鉛 / Acetic acid, lead salt, basic*** (CAS No. : 51404-69-4)	-	n. d.	TRC 1A
城式碳酸鉛 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)*** (CAS No. : 1319-46-6)	-	n. d.	TRC 1A
城式硫酸鉛 / Lead oxide sulfate*** (CAS No. : 12036-76-9)	-	n. d.	TRC 1A
[1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead*** (CAS No. : 69011-06-9)	-	n. d.	TRC 1A
雙(十八酸基)二氧代三鉛 / Dioxobis(stearato) trilead*** (CAS No. : 12578-12-0)	-	n. d.	TRC 1A
C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts*** (CAS No. : 91031-62-8)	-	n. d.	TRC 1A
氨基氰鉛鹽 / Lead cyanamidate*** (CAS No. : 20837-86-9)	-	n. d.	TRC 1A
硝酸鉛 / Lead dinitrate*** (CAS No. : 10099-74-8)	-	n. d.	TRC 1A
氧化鉛 / Lead oxide (lead monoxide)*** (CAS No. : 1317-36-8)	-	n. d.	TRC 1A
四氧化鉛 / Lead tetroxide (orange lead)*** (CAS No. : 1314-41-6)	-	n. d.	TRC 1A
氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate*** (CAS No. : 12065-90-6)	-	n. d.	TRC 1A
矽酸鉛 / Silicic acid, lead salt*** (CAS No. : 11120-22-2)	-	n. d.	TRC 1A
亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic*** (CAS No. : 62229-08-7)	-	n. d.	TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 9 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
四乙基鉛 / Tetraethyllead*** (CAS No. : 78-00-2)	-	n. d.	TRC 1A
三鹼式硫酸鉛 / C.I. 顏料白 / Tetralead trioxide sulphate*** (CAS No. : 12202-17-4)	-	n. d.	TRC 1A
四氟硼酸鉛 (II) / Lead bis(tetrafluoroborate)*** (CAS No. : 13814-96-5)	-	n. d.	TRC 1A
鈦酸鉛 / Lead titanium trioxide*** (CAS No. : 12060-00-3)	-	n. d.	TRC 1A
鈦酸鉛鋇 / Lead Titanium Zirconium Oxide*** (CAS No. : 12626-81-2)	-	n. d.	TRC 1A
C.I. 顏料黃41 / Pyrochlore, antimony lead yellow*** (CAS No. : 8012-00-8)	-	n. d.	TRC 1A
磷酸氧化鉛 / Trilead dioxide phosphonate*** (CAS No. : 12141-20-7)	-	n. d.	TRC 1A
含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped (※4) (CAS No. : 68784-75-8)	0.05	n. d.	TRC 1A
呋喃 / Furan (CAS No. : 110-00-9)	0.05	n. d.	CC 1B
環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane (CAS No. : 75-56-9)	0.05	n. d.	CC 1B; MC 1B
硫酸二乙酯 / Diethyl sulphate (CAS No. : 64-67-5)	0.05	n. d.	CC 1B; MC 1B
硫酸二甲酯 / Dimethyl sulphate (CAS No. : 77-78-1)	0.05	n. d.	CC 1B
3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine (CAS No. : 143860-04-2)	0.05	n. d.	TRC 1B
2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb (CAS No. : 88-85-7)	0.05	n. d.	TRC 1B
4,4'-二氨基-3,3'-二甲基聯苯基甲烷 / 4,4'-methylenedi-o-toluidine (CAS No. : 838-88-0)	0.05	n. d.	CC 1B
4,4'-二氨基二苯醚 / 4,4'-oxydianiline and its salts (CAS No. : 101-80-4)	0.05	n. d.	CC 1B; MC 1B
4-氨基偶氮基苯胺 / 4-Aminoazobenzene; 4-Phenylazoaniline (CAS No. : 60-09-3)	0.05	n. d.	CC 1B
2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine) (CAS No. : 95-80-7)	0.05	n. d.	CC 1B
3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine) (CAS No. : 120-71-8)	0.05	n. d.	CC 1B
4-胺基聯苯 / Biphenyl-4-ylamine (CAS No. : 92-67-1)	0.05	n. d.	CC 1A
鄰氨基偶氮甲苯 / o-aminoazotoluene (CAS No. : 97-56-3)	0.05	n. d.	CC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 10 of 16

金宇科技股份有限公司
VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
鄰甲苯胺 / o-Toluidine; 2-Aminotoluene (CAS No.: 95-53-4)	0.05	n. d.	CC 1B
N-甲基乙醯胺 / N-methylacetamide (CAS No.: 79-16-3)	0.05	n. d.	TRC 1B
正丙基溴 / 1-bromopropane (CAS No.: 106-94-5)	0.05	n. d.	TRC 1B
全氟辛酸 / Pentadecafluorooctanoic acid (PFOA) (CAS No.: 335-67-1)	0.05	n. d.	TRC 1B & PBT
全氟辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)***(CAS No.: 3825-26-1)	-	n. d.	TRC 1B & PBT
鎘 / Cadmium (Cd) (CAS No.: 7440-43-9)	0.005	n. d.	CC 1B & EQC
氧化鎘 / Cadmium oxide*** (CAS No.: 1306-19-0)	-	n. d.	CC 1B & EQC
鄰苯二甲酸二戊酯 / Dipentyl phthalate (CAS No.: 131-18-0)	0.05	n. d.	TRC 1B
分支或線性的乙氧基壬基酚，包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	0.05	n. d.	EQC
鄰苯二甲酸二己酯 / Dihexyl phthalate (CAS No.: 84-75-3)	0.05	n. d.	TRC 1B
直接紅28 / Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C. I. Direct Red 28) (CAS No.: 573-58-0)	0.05	n. d.	CC 1B
直接黑38 / Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C. I. Direct Black 38) (CAS No.: 1937-37-7)	0.05	n. d.	CC 1B
亞乙基硫脲 / Imidazolidine-2-thione; 2-imidazoline-2-thiol (CAS No.: 96-45-7)	0.05	n. d.	TRC 1B
磷酸三(二甲苯)酯 / Trixylyl phosphate (CAS No.: 25155-23-1)	0.05	n. d.	TRC 1B
硫化鎘 / Cadmium sulphide*** (CAS No.: 1306-23-6)	-	n. d.	CC 1B & EQC
醋酸鉛 / Lead di(acetate)***(CAS No.: 301-04-2)	-	n. d.	TRC 1A
鄰苯二甲酸二己酯(支鏈和直鏈) / 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (CAS No.: 68515-50-4)	0.05	n. d.	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 11 of 16

金宇科技股份有限公司
VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2
4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
氯化鎘 / Cadmium chloride*** (CAS No. : 10108-64-2)	-	n. d.	CC 1B; MC 1B; TRC 1B; EQC
過硼酸鈉 / Sodium perborate; perboric acid, sodium salt***	-	0.0724	TRC 1B
過氧偏硼酸鈉 / Sodium peroxometaborate*** (CAS No. : 7632-04-4)	-	0.0593	TRC 1B
2-(2'-羥基-3',5'-二-叔-戊基苯基)苯並三唑 (紫外線吸收劑328) / 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) (CAS No. : 25973-55-1)	0.05	n. d.	vPvB & PBT
2-[2-羥基-3',5'-二-叔-丁基苯基]-苯並三唑 (紫外線吸收劑320) / 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) (CAS No. : 3846-71-7)	0.05	n. d.	vPvB & PBT
氟化鎘 / Cadmium fluoride*** (CAS No. : 7790-79-6)	-	n. d.	CC 1B; MC 1B; TRC 1B; EQC
硫酸鎘 / Cadmium sulphate*** (CAS No. : 10124-36-4; 31119-53-6)	-	n. d.	CC 1B; MC 1B; TRC 1B; EQC
二正辛基-雙(2-乙基己基巰基乙酸酯)錫 / 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)*** (CAS No. : 15571-58-1)	-	n. d.	TRC 1B
二正辛基-雙(2-乙基己基巰基乙酸酯)錫和單辛基-三(2-乙基己基巰基乙酸酯)錫的反應物 / Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)***	-	n. d.	TRC 1B
鄰苯二甲酸二(C6-10)烷基酯; 鄰苯二甲酸二己、二辛、二癸酯混合物; 鄰苯二甲酸二己酯 ≥ 0.3% / 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (CAS No. : 68515-51-5; 68648-93-1)	0.05	n. d.	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 12 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



物質名稱 (Substance Name)	報告 極限值 (RL)	結果 (Result)	分類 (Classification)
		No. 1	
5-二級丁基-2-(2,4-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷 [1], 5-二級丁基-2-(4,6-二甲基環己-3-烯-1-基)-5-甲基-1,3-二氧環己烷 [2], [任何[1]和[2]或者其任意組合的單獨異構物或其任何組合] / 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	0.05	n. d.	vPvB

備註(Note):

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. n. d. = not detected = below Reporting Limit / 未檢出
3. RL = Reporting Limit / 報告極限值
4. "-" = Not Regulated (無規格值)
5. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1374
(conc. of Sodium dichromate dihydrate = conc. of sodium dichromate × 1.1374)
6. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來。 / The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.
7. F 參數換算表/F Parameter Conversion Table: Please refer to http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
8. 分類/Classification: Please refer to http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
9. (*1): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成, 而導致沒有固定分子量, 因此以單體鉻酸或重鉻酸較為重要並應被考慮。 / Oligomers of chromic acid and dichromic acid: since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.
10. (*2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 13 of 16

金宇科技股份有限公司
VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



11. ***: 該物質是由單辛基錫、二辛基錫、三丁基錫、二丁基錫、全氟辛酸或各別元素 (例如: 砷、鉛、六價鉻、硼、鈷、鋇、鎘、鎘) 之測試結果計算得知。 / The substance was calculated by the test results of MonoctylTin, Dioctyl Tin, Tributyl Tin, Dibutyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).

測試結果如下(The test result is given as):

物質名稱 (Substance Name)	報告 極限值 (RL)(%)	結果 (Result)(%)
		No. 1
三丁基錫 / Tributyl Tin (TBT)	0.05	n. d.
砷 / Arsenic (As) (※2)	0.005	n. d.
鉛 / Lead (Pb)	0.005	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	0.005	n. d.
硼 / Boron (B) (※2)	0.005	0.0078
鈷 / Cobalt (Co)	0.005	0.0134
二辛基錫 / Dioctyl Tin (DOT)	0.0230	n. d.
單辛基錫 / MonoctylTin (MOT)	0.0138	n. d.
二丁基錫 / Dibutyl Tin (DBT)	0.05	n. d.

12. (※1): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
13. (※2): 被萃取出之溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之。 / The extracted soluble Boron / Arsenic are detected by ICP-AES.
14. (※3): 由於TGIC本身含有β-TGIC，依照ECHA技術文件β-TGIC與TGIC約為1:10比例，因此β-TGIC將以1/10的TGIC計算濃度。 / TGIC is a mixture and also contains β-TGIC. According to the ECHA's technical dossier the ratio of β-TGIC to TGIC is around 1 to 10. Therefore β-TGIC is issued based on the above-mentioned ratio.
15. (※4): 只有在矽與鉛定性結果為陽性時，再以鋇之濃度換算之。 / Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.
16. (※5): 此化合物之濃度是取六價鉻及鉛兩者各別換算出化合物濃度，並取其最小值做為最後出報告之依據。
(Regarding the compound containing Cr(VI) and lead, lead and Cr(VI) are tested and respectively used for the calculation of the independent concentration of the compound containing Cr(VI) and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 14 of 16

金宇科技股份有限公司

VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



17. 樣品的測試是基於申請人要求混合數個成品進行測試，但報告中混合測試的結果不代表其中單一成品的含量。 / The mixed test with a couple of articles was implemented according to the applicant's request. Even though the test result "n.d." (Not Detected) for the submitted articles is obtained, but the obtained test result doesn't stand for the test result of the respective articles. Therefore the conclusion can't be made for a mixed test.

測試報告 Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 15 of 16

金宇科技股份有限公司
VITEK DISPLAY CO., LTD.


台中市西屯區工業38路210號4樓之2

4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.



分析流程圖 / Analytical flow chart

- 測試人員：林建宇、王志瑋 / Name of the person who made measurement: Roy Lin, JR Wang
- 測試負責人：張啟興 / Name of the person in charge of measurement: Troy Chang



測試報告

Test Report

號碼(No.): CR/2015/70065 日期(Date): 2015/07/17 頁數(Page): 16 of 16


金宇科技股份有限公司
VITEK DISPLAY CO., LTD.

台中市西屯區工業38路210號4樓之2
4F-2, NO. 210, 38TH RD., TAICHUNG INDUSTRIAL PARK, TAICHUNG, TAIWAN.




* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。*
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CR/2015/70065



CR/2015/70065



** 報告結尾(End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.